


# Light Towers



# IF Series

<i>General Specifications and Technical Information</i>	3
<i>Selection Table</i>	4
<i>Connection</i>	5
<i>Dimensions</i>	6



## IF Series Light Towers

- Heat resistant, clear vision Polycarbonate signal modules
- LED
- Easy and tool less connection thanks
- Easy wiring
- Buzzer option
- Ø 22 mm with nut connection

### Technical Information

Standard


: CE

# IF Series Light Towers Selection Table

IF	5	M	024	X	M03
Series	Diameter	Type	Voltage	Buzzer	Connection
<b>IF</b> Series Multifunctional Light Tower	<b>5</b> Ø 55 Diameter	<b>M</b>	<b>024</b> 024V AC-DC <b>220</b> 220V AC	<b>X</b> w/o Buzzer <b>Z</b> With Buzzer	<b>M02</b> 20 mm aluminium base <b>M03</b> 100 mm aluminium base <b>M04</b> 500 mm aluminium base <b>M05</b> M22x1,5 connection <b>D01</b> Wall Base <b>D02</b> Adjustable base

Example: IF5M024XM05

## IF Series (Multi-Function Light Tower) with Ø 22 mm Connection



Code	Işık Illumination	Features	Nominal Voltage
IF5M024ZM05	LED	with Buzzer	24V AC/DC
IF5M220ZM05	LED	with Buzzer	220V AC
IF5M024XM05	LED	-	24V AC/DC
IF5M220XM05	LED	-	220V AC

### DIMENSIONS (mm)

